



1 2 3 4 5

1

2

3

4

5

6

“ ”

7

“ ”

8

9

“ ”

10

11

12

13

14

15

16

“ ” —

17

18

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20

1

“ ”

2

“ ” “ ”

“ ”

3

4

5 “ ”

6

7

8

9 AI “ ”

10 “ ”

11

12

13

14

15

  34

1

2

3

4

5

6 “ ”

7

8

9

10

11

12

13

14

15

16

“

”

17

18

19

“

”

“

”

20

21

22

23

24

25

26

27

28

29

?

8/2?

..... 54

		76
---	---	----

1

“

”

.....

[Top↑](#)

2

“

”



.....

[_j j f _ m m m _ j _ d _ e c _ j _ b _ j _ b _ j c _ b _ T o p ↑](#)

.....

[jjf mmm d ec j b b](#)

[jc b Top↑](#)

4

“ ”

“ ”

.....

[_jjf _mmm j d ec _j b _j b _jc b Top↑](#)

5

.....

[_jjf _mmm j d ec _j b _j b _jc b Top↑](#)

6

“

”

“

”

“ ”

“ ”

“ ”

“ ”

“

”

.....

[_jjf_mmm d je a ec ec c ed_j_b](#) [_Top↑](#)

7

“ ”

“ ”

“ ”

“ ” “ ”

.....

[Top↑](#)

[jjf eb e m a ec jc b Top↑](#)

“

”

PENDING PUBLICATION Documents on Public Inspection

Showing 1-2 of 2 results

 **Additions and Modifications to the Entity List**
by the Industry and Security Bureau

 **Additions to the Entity List**

Home > [Industry and Security Bureau](#) > [Entity List](#) > [Additions to the Entity List](#)

“

”

.....

[Top ↑](#)

“


”

“

”

[Top↑](#)

11



.....

[Top↑](#)

“

”

.....

[Top↑](#)

13

“

”

.....

[_jjf_mmm_d_ec_j_b_b](#)

[_jc_b_Top↑](#)

14

[Top↑](#)

16

9

“

”

— —

“

”

“

”

“

”

.....

“

”

“

”

“

”

—

“

”

.....

<https://www.cls.cn/detail/2006418> [Top↑](#)

18

“

”

.....

[Top↑](#)



1	“	”
---	---	---

—

“ ”

.....

[Top↑](#)

2

.

|

“

”

“

”

“

”

“

”

“

”

“

”

“

”

“

”

“

”

“

”

“

”

“

“

”

”

.....

[Top↑](#)

3

.....

[Top↑](#)

4

“ ”

“ A A ”

.....

[Top↑](#)

5

“

”

“ ”

“ ”

“ ”

“ ”

“ ”

“ ” “ ”

[Top↑](#)

6

“ ”

“ ”

“ ”

[Top↑](#)

7

“

”

“ ”

“ ”

“ ”

“ ”

.....

[Top↑](#)

“

”

.....

[Top↑](#)

“

”

“ ”

“ ”

“

”

.....

[Top↑](#)

“

”

“

”

“

”

.....

[Top↑](#)

14

“

“

”

”

“

”


“

” “

”

.....

[Top↑](#)




《国家方案》针对新生产制冷空调产品中使用HFCs制冷剂的限制

序号	行业	产品类型	开始时间	HFCs 限制
1	汽车行业	新申请公告的 M1 类 车辆空调系统	2029 年 7 月 1 日	GWP>150
2	家电行业	家用电冰箱和冰柜	2026 年 1 月 1 日	禁止 HFC
3	家电行业	国内销售的房间空气 调节器[家用多联式空 调(热泵)机组除外] 单元式空气调节机 (风冷热泵机组或电 加热≤12kW)	2029 年 1 月 1 日	GWP>750
4	工商制冷空调行业	风管送风式空调(热 泵)机组(额定制冷 量或制热量≤12kW)	2029 年 1 月 1 日	GWP>750
5	工商制冷空调行业	其他制冷设备或制冷 系统(蒸发温度-50℃ 以下设备除外)	2029 年 1 月 1 日	GWP>2500

.....

[Top↑](#)



[Top↑](#)

2

“

”

.....

[Top↑](#)

5

[Top↑](#)

6

“

”

“

”

“

”

[Top ↑](#)

7


[Top ↑](#)

8


[Top↑](#)

9

鲍斯股份近五年营业总收入变化



鲍斯股份近五年归母净利润变化



.....

[Top↑](#)

“ ”

.....

[Top↑](#)

	2024 年	2023 年	本年比上年增减	2022 年
营业收入（元）	407,149,600	372,037,280	9.44%	339,170,570
归属于上市公司股东的净利润（元）	37,237,337	33,060,319	12.50%	29,083,567
归属于上市公司股东的扣除非经常性损益的净利润（元）	37,411,418	32,961,508	13.65%	28,175,003
基本每股收益（元/股）	5.44	4.93	10.34%	4.34
稀释每股收益（元/股）	5.42	4.92	10.19%	4.33
平均净资产收益率	21.29%	22.23%	-4.04%	22.21%

	2024 年		2023 年		同比增减	
	金额	占营业收入比重	金额	占营业收入比重		
合计	407,149,600	100.00%	372,037,280	100.00%	9.44%	营业收入
						分行业
						制造业
	362,654,889	89.07%	331,060,319	89.52%	8.89%	其他业务
	44,494,711	10.93%	38,976,961	10.48%	14.16%	分产品
						智能家居
业务	269,532,353	66.20%	246,351,405	66.22%	9.41%	商业及工
能源管理	104,496,253	25.67%	97,781,307	26.28%	6.87%	其他业务
其他业务	33,610,438	8.16%	27,874,277	7.40%	20.58%	其他业务

“ PROFROID ”

[Top ↑](#)

15

“

”

[Top ↑](#)

16

“

”

[Top↑](#)

[Top↑](#)

18

[Top ↑](#)

21

“ 20

”

[Top ↑](#)

22

Solstice ®

® HFO

Genetron ®

[Top↑](#)

23

[Top↑](#)

24

“

”

“

”

“

IDM ”

“

”

[Top↑](#)

“

“ ” ”

”

[Top↑](#)

“ ”

.....

[Top↑](#)

27

“ G&D ”

“ AGT ”

“

”

“

[Top↑](#)


28

[Top↑](#)

29

66

99



[Top↑](#)

C

C

.....

C

.....

C

.....

C

C

C

C

					1	

C

			4

	?	?	2 1 0

C

.....

“

” “

” “

”

“

” “

”

— —

C

.....

— — —

—

C

.....

“

”


“

”

C

.....

jjf mmm d d e ec d d m l e k je a e je a e



[Top↑](#)



“ ”

[Top ↑](#)



[Top↑](#)



73

“ ”